

IISD UTILITIES USAGE
2014-15

| ELECTRICITY | SEPT | OCT | NOV | DEC | JAN | FEB | MARCH | APRIL | MAY | JUNE | JULY | AUG | TOTAL |
|-------------------------|-------------|------------|------------|------------|------------|------------|--------------|--------------|------------|-------------|-------------|------------|--------------|
| (Victoria Electric) | | | | | | | | | | | | | |
| HIGH SCHOOL 18 | | | | | | | | | | | | | |
| (INCLUDES ADMIN.) | 425200 | 367200 | 302800 | 282400 | 365600 | 275200 | 335600 | 310400 | 352400 | 85460 | | | |
| JHS 22 | 352000 | 332000 | 302000 | 270500 | 313000 | 224000 | 263000 | 311000 | 302000 | 75970 | | | |
| IEE(GYM,G.DRESSING RM, | | | | | | | | | | | | | |
| NEW CAFÉ,PRAC GYM) 19 | 270000 | 244800 | 190800 | 180400 | 216400 | 154400 | 182000 | 216800 | 242800 | 39290 | | | |
| NEW IEE BUILDING 25 | 213600 | 185760 | 313120 | 260800 | 393920 | 255360 | 332320 | 143040 | 148640 | 165920 | | | |
| | | | | | | | | | | | | | |
| AG BUILDING 26 | 74000 | 62800 | 62600 | 51600 | 64200 | 70200 | 68800 | 59800 | 62600 | 15470 | | | |
| HS GYM A/C 24 | 51100 | 58500 | 38300 | 37000 | 58900 | 46700 | 52900 | 36000 | 38900 | 13300 | | | |
| JH LIFT STATION 21 | 1963 | 3018 | 2064 | 1794 | 1956 | 2520 | 2423 | 2719 | 2468 | 3235 | | | |
| SOFTBALL FD 23 | 2080 | 46960 | 2080 | 2080 | 2960 | 48880 | 46640 | 49040 | 46960 | 4640 | | | |
| FB DR RM NW LIGHTS 08 | 62880 | 62560 | 53120 | 18400 | 15600 | 16240 | 40720 | 41280 | 32800 | 9320 | | | |
| SW FIELD LT.31 | 273 | 424 | 433 | 0 | 0 | 0 | 25 | 111 | 0 | 279 | | | |
| FM 444 SECURITY LT 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| SE FIELD LIGHTS 33 | 240 | 360 | 400 | 0 | 0 | 0 | 40 | 160 | 0 | 360 | | | |
| BUS BARN 13 | 28120 | 23560 | 29120 | 20320 | 24320 | 24600 | 27120 | 21240 | 24800 | 26080 | | | |
| BASEBALL FIELDS 14 | 0 | 0 | 0 | 160 | 160 | 1760 | 2240 | 1600 | 800 | 800 | | | |
| CONC. STANDS 34 | 2407 | 2498 | 1327 | 501 | 739 | 278 | 466 | 1344 | 1298 | 1185 | | | |
| AG FARM 01 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| NE FIELD LIGHT 17 | 520 | 1320 | 1040 | 600 | 640 | 600 | 600 | 560 | 320 | 560 | | | |
| TENNIS COURT 20 | 77 | 213 | 228 | 716 | 261 | 605 | 0 | 4 | 146 | 247 | | | |
| IEW 57241502 30 | 2614 | 2323 | 2388 | 1627 | 1475 | 1601 | 1294 | 1530 | 2203 | 2334 | | | |
| IEW 56689249 27 | 41280 | 39920 | 76000 | 74000 | 91760 | 67200 | 84240 | 27440 | 31680 | 32480 | | | |
| IEW 58510494 28 | 1734 | 1488 | 1223 | 1309 | 1136 | 1770 | 2052 | 1050 | 1450 | 1775 | | | |
| IEW 56689247 29 | 115500 | 111300 | 114000 | 111500 | 175100 | 108500 | 122300 | 82400 | 89800 | 101700 | | | |
| IEW 58946214 36 | 1 | 0 | 25 | 30 | 28 | 36 | 33 | 37 | 43 | 22 | | | |
| LOLITA (Jackson Elec.) | 252 | 252 | 252 | 252 | 252 | 252 | 252 | 252 | 252 | 252 | | | |
| | | | | | | | | | | | | | |
| NATURAL GAS | SEPT | OCT | NOV | DEC | JAN | FEB | MARCH | APRIL | MAY | JUNE | JULY | AUG | |
| (Centerpoint Energy) | | | | | | | | | | | | | |
| HIGH SCHOOL(8905) | 109 | 118 | 537 | 322 | 651 | 615 | 895 | 122 | 103 | 70 | | | |
| JR. HIGH (28129) | 62 | 76 | 325 | 560 | 1299 | 870 | 1019 | 659 | 504 | 499 | | | |
| IEW (3605) | 25 | 66 | 73 | 84 | 48 | 138 | 98 | 69 | 78 | 75 | | | |
| ELEM PRAC. GYM (729971) | 0 | 0 | 0 | 82 | 166 | 101 | 122 | 0 | 0 | 0 | | | |
| | | | | | | | | | | | | | |
| WATER | SEPT | OCT | NOV | DEC | JAN | FEB | MARCH | APRIL | MAY | JUNE | JULY | AUG | |
| SCIENCE (91) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| WELL (93) | 242300 | 140700 | 225300 | 148100 | 142900 | 130800 | 145100 | 154700 | 154700 | 49000 | | | |
| Sewer (94) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| AUDITORIUM (251) | 4500 | 4200 | 6100 | 5500 | 2500 | 3200 | 3100 | 6400 | 19200 | 61900 | | | |
| CAFETERIA (252)low flow | 160 | 120 | 170 | 170 | 120 | 180 | 110 | 140 | 140 | 70 | | | |
| SOFTBALL FIELD (264) | 13300 | 2700 | 24100 | 0 | 100 | 500 | 300 | 2100 | 1500 | 1900 | | | |

IISD UTILITIES USUAGE
2014-15

| | | | | | | | | | | | | | |
|------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|--|--|
| JR. HIGH (265) | 25400 | 27800 | 33200 | 23400 | 16500 | 26700 | 18400 | 21800 | 25800 | 14400 | | | |
| New Elementary(302)low flow | 120 | 260 | 260 | 160 | 90 | 880 | 0 | 0 | 390 | 140 | | | |
| CAFETERIA (255 HIGH FLOW) | 21000 | 18400 | 22700 | 26700 | 14200 | 23700 | 13400 | 18500 | 21100 | 10700 | | | |
| New Elementary(303)high flow | 14000 | 12000 | 14000 | 10000 | 8000 | 14000 | 10000 | 14000 | 17000 | 7000 | | | |